

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE
STATE OF NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office NOV 3 1978

Returned to applicant for correction _____

Corrected application filed _____ Map filed NOV 3 1978The applicant Palm Valley View Memorial Park1325 N. Main Street of Las Vegas
Street and No. or P.O. Box No. City or TownNevada 89101, hereby make application for permission to change the
State and Zip Code No.point of diversion of a portionof water heretofore appropriated under permit no. 27840

(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

1. The source of water is Las Vegas Artesian Basin
Name of stream, lake or other source.
2. The amount of water to be changed 0.5 cfs
Second feet, acre feet.
3. The water to be used for Memorial Park (Cemetery) and domestic
If for stock state number and kind of animals.
4. The water heretofore used for Memorial Park (Cemetery) and domestic
If for stock state number and kind of animals.
5. The water is to be diverted at the following point SE $\frac{1}{4}$, NW $\frac{1}{4}$ section 12, T22S, R61E,
MDB&M, or at a point from which the West Quarter corner of said
Describe as being within a 40-acre subdivision of public survey and by course and distance to a section corner. If on unsurveyed land, it should be
section 12 bears S 63° 17' 07" W, 1713.00 feet.
stated.
6. The existing point of diversion is located within SW $\frac{1}{4}$, NW $\frac{1}{4}$ section 12, T22S, R61E,
MDB&M, or at a point from which the west quarter corner of said
If point of diversion is not changed, do not answer.
section 12 bears S 62° 53' W, 932.00 feet.
7. Proposed place of use the South Half (S $\frac{1}{2}$) of the northwest quarter (NW $\frac{1}{4}$)
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.
of section 12, T22S, R61E, MDB&M, Clark County, Nevada
8. Existing place of use the south half (S $\frac{1}{2}$) of the Northwest Quarter (NW $\frac{1}{4}$)
Describe by legal subdivisions. If presently used for irrigation, state number of acres irrigated.
of section 12, T22S, R61E, MDB&M, Clark County, Nevada.
9. Use will be from January 1st to December 31st of each year.
Day and Month Day and Month
10. Use has been from January 1st to December 31st of each year.
Day and Month Day and Month
11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) a 17 $\frac{1}{2}$ " diameter hole with 8" casing
State manner in which water is to be diverted, whether by dam or other works,
to a depth of 600 feet, a submersible pump at 400 feet and a dis-
whether through pipes, ditches, flumes, or other conduits.
charge pipe to a storage tank.

12. Estimated cost of works.....\$20,000
13. Estimated time required to construct works.....1 year
14. Estimated time required to complete the application of water to beneficial use.....5 years
15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Compared lp/ga bl/bc Applicant Palm Valley View Memorial Park

By s/ K.D. Weir
K.D. Weir, Agent
2209 Paradise Road
Las Vegas, NV 89104

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of a portion of the waters of an underground source as heretofore granted under Permit 27840 is issued subject to the terms and conditions imposed in said Permit 27840 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The total combined duty of water under this permit and Permit 27840 shall not exceed 300 acre-feet per annum.

This permit is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.5 cubic feet per second, but not to exceed 300 acre-feet annually.

Actual construction work shall begin on or before.....October 3, 1979

Proof of commencement of work shall be filed before.....November 3, 1979

Work must be prosecuted with reasonable diligence and be completed on or before.....October 18, 1979

Proof of completion of work shall be filed before.....November 18, 1979

Application of water to beneficial use shall be made on or before.....October 18, 1979

Proof of the application of water to beneficial use shall be filed on or before.....November 18, 1979

Map in support of proof of beneficial use shall be filed on or before.....November 18, 1979

Commencement of work filed.....AUG 3 1979
Completion of work filed.....NOV 23 1979

IN TESTIMONY WHEREOF, I, WILLIAM J. NEWMAN
State Engineer of Nevada, have hereunto set my hand and the seal of
my office, this 3rd day of APRIL
A.D. 1979.

Proof of beneficial use filed.....**REVOKED**
Cultural map filed.....
Certificate No.....Issued.....
Recorded.....Bk.....**ORDER NO. 104**

State Engineer

DATE 11-20-89